



AIR PRESSURE USE (SPEED CONTROL MUFFLER)


Speed Control Flat Face Muffler (Brass)

Major Applicable Fluid~ Air



Computer No	Product Sign	Dimension
SBR	18-PT	1/8"PT
SBR	28-PT	1/4"PT
SBR	38-PT	3/8"PT

Speed Control Muffler (Brass, SUS)



Computer No	Product Sign	Dimension (mm)								
		A	B ±0.20	C ±0.50	D ±0.50	D1 ±0.50	E ±0.20	F ±0.20	G	H ±0.20
SUS Mark SSSCM	18-PT	1/8"PT	6.9	21	28.3	37.2	12	1.2	9	5.2
	28-PT	1/4"PT	10.5	28.5	37	48	14	1.2	9	5.2
	38-PT	3/8"PT	12.5	30	38.4	50	17	1.2	11	9.4
	48-PT	1/2"PT	16	37.7	45.3	56.7	22	1.2	11	13.4
	68-PT	3/4"PT	16.9	42.5	50.4	67.3	27	1.2	11	17.5
	88-PT	1"PT	20.3	46.6	54.5	70.2	34	1.2	11	22.6
BRASS Mark SCM	18-N	1/8"NPT	6.9	21	28.3	37.2	12	1.2	9	5.2
	28-N	1/4"NPT	10.5	28.5	37	48	14	1.2	9	5.2
	38-N	3/8"NPT	12.5	30	38.4	50	17	1.2	11	9.4
	48-N	1/2"NPT	16	37.7	45.3	56.7	22	1.2	11	13.4
	68-N	3/4"NPT	16.9	42.5	50.4	67.3	27	1.2	11	17.5
	88-N	1"NPT	20.3	46.6	54.5	70.2	34	1.2	11	22.6

Computer No	Product Sign	Dimension (mm)									
		A	B ±0.20	C ±0.50	D ±0.50	D1 ±0.50	E SUS ±0.20	E BRASS ±0.20	F ±0.20	G	H ±0.20
SUS Mark SSSCM	18-G	1/8"BSP	5.3	21	28.3	37.2	12	12	1.2	9	5.2
	28-G	1/4"BSP	8.6	28.5	37	48	17	16	1.2	9	5.2
	38-G	3/8"BSP	10.6	30	38.4	50	19	18	1.2	11	9.4
BRASS Mark SCM	48-G	1/2"BSP	14.1	37.7	45.3	56.7	24	24	1.2	11	13.4
	68-G	3/4"BSP	14.1	42.5	50.4	67.3	30	30	1.2	11	17.5
	88-G	1"BSP	17.6	46.6	54.5	70.2	36	36	1.2	11	22.6